Town of Islip Geographic Table Design Requirements For Commercial and Residential Permits 2020 NYS Uniform Code

The Town of Islip is within a hurricane prone region, Climate Zone 4a.

	TABLE R301.2(1) CLIMATIC AND GEOGRAPHIC DESIGN CRITERIA												
1 1010 1	Speed Topographic Special Wind Wind-Born Debris			Weathering		GE FROM Termite	DESIGN	ICE BARRIER REQUIRED	FLOOD HAZARDS	AIR FREEZING INDEX	MEAN ANNUAL TEMP		
20	130 Vult	no	no	1 Mile from Coast an Fire Island	d B	Severe	BOF 3 FT BFG	Mod To Heavy	See Below	Yes	Call the Plans Examiners Office	599	51° F

		MANUA	L J CRITERIA RE	QUIRED IN SUBMIT	TED CALCUL	ATIONS		
ELEVATION	LAT	WINTER HEATING	SUMMER COOLING	ALTITUDE CORRECTION FACTOR	INDOOR DESIGN TEMP	DESIGN TEMPERATURE COOLING	HEATING TEMPERATURE DIFFERENCE	
108 FT	41° N	15° F	86° F	1.00	70° F	75° F	55° F	
Cooling Temperature Difference		Velocity ating	Wind Velocity Cooling	Coincident Wet Bulb	Daily Range	Winter Humidity	Summer Humidity	
11° F	15	MPH	7.5 MPH	72° F	Medium (M)	40%	32 GR @50% RH	

					IBC CLIMA	TIC AND	GEOGRAF	PHIC DES	IGN CRITER	RIA			
GROUND		WIND	DESIGN		_	SUBJECT	TO DAMA	GE FROM		ICE BARRIER	FLOOD	AIR	MEAN
SNOW LOAD	Speed (mph)	Topographic Effects	Special Wind Region	Wind-Born Debris Zone	DESIGN CATEGORY	Weathering	Frost Line Depth	Termite	DESIGN TEMP	REQUIRED	HAZARDS	FREEZING INDEX	ANNUAL TEMP
20	130 Vult	No	No	1 Mile from Coast and Fire Island	В	Severe	BOF 3 FT BFG	Mod To Heavy	See Below	Yes	Call the Plans Examiners Office	599	51° F

- Interior spaces intended for human occupancy shall be provided with an indoor temperature of not less than 68° F at a point 3 feet above the floor on the design heating day
- System design shall be based on max 72° F heating, minimum 75° F cooling
- Degree days (NY LaGuardia) 4811, Winter Design Temp 15° F, Dry Bulb 89° F, Wet Bulb 75° F (2020 IPC Appendix D) * As per NYSBC 2020 Chapter 16 section 1609 and ASCE 7 2016, wind exposure category and surface roughness is B
- Use C for both South Shore and Fire Island

Geographic Table Design Requirements for Residential and Commercial 2020 -- 2020-07-01

ARCHITECURAL						
SHEET NUMBER	CONTENTS					
A-100	COVER SHEET					
A-101	FOUNDATION PLAN					
A-102	FIRST FLOOR PLAN					
A-103	ADA PLAN					
A-104	REFLECTED CEILING PLAN					
A-105	ROOF PLAN					
A-106	ELEVATIONS					
A-107.1	SECTIONS					
A-108	DETAILS					
A-109	PLUMBING RISER					

GENERAL NOTES:

- 1. GENERAL NOTES APPLY TO ALL DRAWINGS
- 2. DO NOT SCALE DRAWINGS. ANY DIMENSIONAL INFORMATION REQUIRED WHICH IS NOT INDICATED ON DRAWING DIMENSION STRINGS SHALL BE OBTAINED FROM THE ARCHITECT.
- 3. DIMENSIONS SHOWN ARE FINISH SURFACE OF EXISTING CONSTRUCTION, UNLESS NOTED OTHERWISE.
- 4. CONTRACTOR SHALL VERIFY ALL EXISTING DIMENSIONS AND CONDITIONS (I.E. EXISTING MATERIALS, FRAMING MEMBER SIZES AND LOCATIONS, METHODS OF CONSTRUCTION). IF DISCREPANCIES ARE FOUND, NOTIFY ARCHITECT BEFORE PROCEEDING WITH WORK.
- 5. CONTRACTOR SHALL PAY ALL PERMIT FEES.
- 6. CONTRACTOR SHALL MAINTAIN THE IMMEDIATE CONSTRUCTION SITE IN A SECURE, CLEAN AND SAFE MANNER.
- 7. PROTECTION: CONTRACTORS SHALL BE SOLELY RESPONSIBLE FOR TAKING ALL STEPS NECESSARY TO PROTECT THE PUBLIC FROM INJURY AND ADJACENT PROPERTY DAMAGES DURING CONSTRUCTION AS REQUIRED BY LOCAL CODES.
- 8. REPAIR ALL EXISTING CONSTRUCTION AFFECTED BY NEW WORK TO ITS ORIGINAL CONDITION

OWNER CONTRACTOR

STEVE MADDEN (917)-345-7631 SMADDEN@GMAIL.COM

TONY SOPRANO (973)-891-0457 BADABING@GMAIL.COM

ARCHITECT PHILIP ODDO (631)-572-2036 PODDO03@GMAIL.COM

PODDO DESIGNERS

FARMINGDALE STATE COLLEGE DEPARTMENT OF ARCHITECTURE AND CONSTRUCTION **MANAGEMENT**

TITLE OF PROJECT: PROJECT ADDRESS:

TYPICAL ABBREVIATIONS

A/C: Air Conditioner A.C.: Asphaltic Concrete ACI: American Concrete C.I.: Cast Iron Institute CL.: Closet Acous.: Acoustical ADA: Americans with Disabilities Act of 1992 Adj.: Adjustable FTG: Fitting Bd.: Board GA.: Gauge Brz.: Bronze Cab.: Cabinet

BV: Cadmium or Computer-Aided Drafting C.C.: Center to Center


C.D.: Construction Document

Cem.: Cement Cer.: Ceramic FRPF:Fireproof FS: Far Side FT.: Feet or Foot Galv.: Galvanized G.C.: Gen


Int.: Interior Inv.: Invert

DRAWING SYMBOLS

SPLIT FACE **BLOCK**




SECTION MARKER



DECORATIVE STONE

CONCRETE



HEIGHT MARKER



WINDOW MARKER





DOOR MARKER

NAME: PHILIP ODDO PROFESSOR: JOSEPH M. CLEMENS CLASS: ARC 310 DATE: 5/14/25

COVER SHEET

<u>DUR-O-WALL EA. 2MD COURSE W/</u> PINTLE + SEISMIC CLIP + WIRE @ BRICK. (TYP. ALL WALLS) 16" CAVITY WALL 4" X 8" SPLIT FACE BLOCK 2" CAVITY W/ 1" RIGID INSULATION 10" CONCRETE BACK - UP BLOCK 1/2" EXPANSION JOINT ELEVATION: 0' - 2" 2" (R-10) PERIMETER / INSULATION 2' - 0" EACH WAY CONTINUOUS FLASHING W/WEEP HOLES @ 32" O.C. 6" CLEAN COMPACTED FILL VAPOR BARRIER (TYP.) TOP OF SLAB ELEVATION 0' - 2" TOP OF FOUNDATION ELEVATION: 0' - 0" (2) #5 BARS TOP + BOTTO CONTINUOUS (TYP.) 6" POURED CONCRETE FOUNDATION WALL ON 30" X 15" POURED CONCRETE FOOTING W/ 2" X 4" KEYWAY (3) #5 BARS ALT HOOKS 2 WALL SECTION 1/2" = 1'-0"


PODDO DESIGNERS


FARMINGDALE STATE
COLLEGE DEPARTMENT OF
ARCHITECTURE AND
CONSTRUCTION
MANAGEMENT

TITLE OF PROJECT: PROJECT ADDRESS:

NAME: PHILIP ODDO
PROFESSOR: JOSEPH M. CLEMENS
CLASS: ARC 310
DATE: 5/14/25

FOUNDATION PLAN





---130'-0"---

INDUSTRIAL

AREA 2

"F1" USE

LOADING DOCK

--189'-11"---

WATER FOUNTAIN

(TYP.)

GENERAL OFFICE

AREA

1) FLOOR PLAN
1/8" = 1'-0"

EXIT LIGHT (TYP.)


PODDO DESIGNERS

FARMINGDALE STATE
COLLEGE DEPARTMENT OF
ARCHITECTURE AND
CONSTRUCTION
MANAGEMENT

TITLE OF PROJECT: PROJECT ADDRESS:

NAME: PHILIP ODDO
PROFESSOR: JOSEPH M. CLEMENS
CLASS: ARC 310
DATE: 5/14/25

FLOOR PLAN




PER ANSI 117.1 - 2009

OCCUPANCY CALCULATIONS								
ROOM TYPE	CALCULATIONS	# OF PEOPLE						
GENERAL OFFICE	730/ 150	5						
ENTRY	81/ 100	1						
OFFICE	378/ 150	3						
LAV.	65/ 100	1						
INDUSTRIAL AREA 1	6,540/ 100	66						
INDUSTRIAL AREA 2	7,540/ 100	76						

PODDO DESIGNERS


FARMINGDALE STATE
COLLEGE DEPARTMENT OF
ARCHITECTURE AND
CONSTRUCTION
MANAGEMENT




NAME: PHILIP ODDO
PROFESSOR: JOSEPH M. CLEMENS
CLASS: ARC 310
DATE: 5/14/25

EXIT PLAN

A-103



(LAVATORY FACILITIES)




FARMINGDALE STATE
COLLEGE DEPARTMENT OF
ARCHITECTURE AND
CONSTRUCTION
MANAGEMENT

TITLE OF PROJECT: PROJECT ADDRESS:

NAME: PHILIP ODDO
PROFESSOR: JOSEPH M. CLEMENS
CLASS: ARC 310
DATE: 5/14/25

REFLECTED CEILING PLAN



DECORATIVE CORNICE DECORATIVE STONE COMPOUND CEILING HEIGHT 1) FRONT ELEVATION 1/8" = 1'-0" MAX ROOF HEIGHT 22'-6" COMPOUND CEILING HEIGHT SPLIT FACE BLOCK BOTTOM OF TRUCK FOOTING 2 RIGHT SIDE ELEVATION 1/8" = 1'-0" MAX ROOF HEIGHT 22'-6" COMPOUND CEILING HEIGHT 12'-8" SPLIT FACE BLOCK BOTTOM OF WALL FOOTING 3-0" 3 BACK ELEVATION 1/8" = 1'-0" MAX ROOF HEIGHT 22'-6" COMPOUND CEILING HEIGHT 12'-8" SPLIT FACE BLOCK BOTTOM OF WALL FOOTING LEFT SIDE ELEVATION 1/8" = 1'-0"

PODDO DESIGNERS

FARMINGDALE STATE
COLLEGE DEPARTMENT OF
ARCHITECTURE AND
CONSTRUCTION
MANAGEMENT

TITLE OF PROJECT: PROJECT ADDRESS:

NAME: PHILIP ODDO
PROFESSOR: JOSEPH M. CLEMENS
CLASS: ARC 310
DATE: 5/14/25

ELEVATIONS


FARMINGDALE STATE
COLLEGE DEPARTMENT OF
ARCHITECTURE AND
CONSTRUCTION
MANAGEMENT

TITLE OF PROJECT: PROJECT ADDRESS:

NAME: PHILIP ODDO
PROFESSOR: JOSEPH M. CLEMENS
CLASS: ARC 310
DATE: 5/14/25


SECTIONS


A-107






2 LONGITUDINAL SECTION
1/8" = 1'-0"







FARMINGDALE STATE
COLLEGE DEPARTMENT OF
ARCHITECTURE AND
CONSTRUCTION
MANAGEMENT


TITLE OF PROJECT: PROJECT ADDRESS:

NAME: PHILIP ODDO
PROFESSOR: JOSEPH M. CLEMENS
CLASS: ARC 310
DATE: 5/14/25

DETAILS

FARMINGDALE STATE COLLEGE DEPARTMENT OF ARCHITECTURE AND CONSTRUCTION MANAGEMENT

TITLE OF PROJECT: PROJECT ADDRESS:



NAME: PHILIP ODDO PROFESSOR: JOSEPH M. CLEMENS CLASS: ARC 310 DATE: 5/14/25

PLUMBING RISER

A-109

1 PLUMBING RISER SCALE: N.D.S